


PRODUCT CODE: CS3A
3 AMP CONNECTOR STRIP



DESCRIPTION

3 Amp 12 way Connector Strip

FINISH

Natural

MATERIAL


Polyethylene

PACKAGING


Packed in qty 10

ADDITIONAL NOTES


Compliant to BS EN 60998-1:2004
12 way terminal block c/w brass terminal and steel BZP screws
Max temperature 80° C




Isometric view



Side view




Top view



Front view

PRODUCT CODE: CS5A
5 AMP CONNECTOR STRIP



DESCRIPTION

5 Amp 12 way Connector Strip

FINISH

Natural

MATERIAL


Polyethylene

PACKAGING


Packed in qty 10

ADDITIONAL NOTES


Compliant to BS EN 60998-1:2004
12 way terminal block c/w brass terminal and steel BZP screws
Max temperature 80° C




Isometric view



Side view




Top view



Front view

PRODUCT CODE: CS15A
15 AMP CONNECTOR STRIP



DESCRIPTION

15 Amp 12 way Connector Strip

FINISH

Natural

MATERIAL


Polyethylene

PACKAGING




Packed in qty 10

ADDITIONAL NOTES


Compliant to BS EN 60998-1:2004
12 way terminal block c/w brass terminal and steel BZP screws
Max temperature 80° C



Isometric view



PRODUCT CODE: CS30A
30 AMP CONNECTOR STRIP



DESCRIPTION

30 Amp 12 way Connector Strip

FINISH

Natural

MATERIAL


Polyethylene

PACKAGING


Packed in qty 10

ADDITIONAL NOTES


Compliant to BS EN 60998-1:2004
12 way terminal block c/w brass terminal and steel BZP screws
Max temperature 80° C




Isometric view



Side view




Top view



Front view

PRODUCT CODE: CS60A
60 AMP CONNECTOR STRIP



DESCRIPTION

60 Amp 12 way Connector Strip

FINISH

Natural

MATERIAL


Polyethylene

PACKAGING


Packed in qty 5

ADDITIONAL NOTES


Compliant to BS EN 60998-1:2004
12 way terminal block c/w brass terminal and steel BZP screws
Max temperature 80° C




Isometric view



Side view



Top view



Front view