


PRODUCT CODE: BL1B
CIRCULAR BOX LID



DESCRIPTION

Circular Box Lid

FINISH

Black Enamel

MATERIAL




Pressed Steel

PACKAGING

Packed in qty 100


ADDITIONAL NOTES

Conforms to BS EN61386-1
For use with 20 & 25mm circular conduit boxes
Compliant to LU Standard 1-085 (for use on surface & sub-surface locations)



Values are nominal and with a general tolerance $\pm 5\%$ unless otherwise specified

PRODUCT CODE: BL1G
CIRCULAR BOX LID



DESCRIPTION

Circular Box Lid

FINISH

Pre Galvanised

MATERIAL




Pressed Steel

PACKAGING

Packed in qty 100


ADDITIONAL NOTES

Conforms to BS EN61386-1
For use with 20 & 25mm circular conduit boxes
Compliant to LU Standard 1-085 (for use on surface & sub-surface locations)



Values are nominal and with a general tolerance $\pm 5\%$ unless otherwise specified

PRODUCT CODE: BL1G-OS
CIRCULAR BOX LID



DESCRIPTION

Oversized Circular Box Lid

FINISH

Pre Galvanised

MATERIAL




Pressed Steel

PACKAGING

Packed in qty 50


ADDITIONAL NOTES

Conforms to BS EN61386-1
For use with 20 & 25mm circular conduit boxes
Compliant to LU Standard 1-085 (for use on surface & sub-surface locations)



Values are nominal and with a general tolerance $\pm 5\%$ unless otherwise specified

PRODUCT CODE: BL3G
CIRCULAR BOX LID



DESCRIPTION

Circular Box Lid - 4 Fixing Holes

FINISH

Pre Galvanised

MATERIAL




Pressed Steel

PACKAGING

Packed in qty 1


ADDITIONAL NOTES

Conforms to BS EN61386-1
For use with 32mm circular conduit boxes
Compliant to LU Standard 1-085 (for use on surface & sub-surface locations)



 Values are nominal and with a general tolerance $\pm 5\%$ unless otherwise specified

PRODUCT CODE: HL1G
CIRCULAR BOX LID



DESCRIPTION

Heavy Circular Box Lid

FINISH

BZP

MATERIAL



Steel (2mm thickness)

PACKAGING

Packed in qty 50

ADDITIONAL NOTES

Conforms to BS EN 61386-1:2008
Compliant to LU Standard 1-085 (for use on surface & sub-surface locations)



Values are nominal and with a general tolerance $\pm 5\%$ unless otherwise specified