


PRODUCT CODE: FRC25
FIRE RESISTANT CLIP



DESCRIPTION

Fire Resistant Clip: Small

FINISH

Pre Galvanised

MATERIAL

Steel


PACKAGING

Packed in qty 100


ADDITIONAL NOTES

Fully Compliant to BS7671, 18th Edition Amendment 3, BS8434-2 and BS5839-1


Fire rated to 930oC for 120 minutes by Exxova Warringtonfire
Designed for 25mm x 16mm PVC mini trunking




Isometric view



Side view




Front view



Top view

PRODUCT CODE: FRC40
FIRE RESISTANT CLIP



DESCRIPTION

Fire Resistant Clip: Medium

FINISH

Pre Galvanised

MATERIAL

Steel





PACKAGING

Packed in qty 50


ADDITIONAL NOTES

Fully Compliant to BS7671, 18th Edition Amendment 3, BS8434-2 and BS5839-1

Fire rated to 930oC for 120 minutes by Exxova Warringtonfire
Designed for 32mm to 40mm PVC mini trunking



PRODUCT CODE: FRC50
FIRE RESISTANT CLIP



DESCRIPTION

Fire Resistant Clip: Large

FINISH

Pre Galvanised

MATERIAL

Steel


PACKAGING

Packed in qty 50


ADDITIONAL NOTES

Fully Compliant to BS7671, 18th Edition Amendment 3, BS8434-2 and BS5839-1


Fire rated to 930oC for 120 minutes by Exxova Warringtonfire
Designed for 46mm to 50mm PVC mini trunking




Isometric view



Side view



Front view



Top view